







Email:sales01@dck-gd.com



Model	JD1-43S
Surface Size	40x40mm
Travel Range	±10mm
Travel Guide	Dovetail , Screw
Readable Resolution	0.1mm/Vernier
Parallelism	40um
Driving Parallelism	30um
Load Capacity	2.5kgf
Base Plate	X
Weight	0.18Kg
Material	Aluminum
Finish Treatment	Black Anodizing

JD1 - 43S

东莞市诚鲲五金电子科技有限公司
Email:sales01@dck-gd.com

An isometric line drawing of a square block. The top face features a central circular hole and eight smaller circular holes arranged in two concentric squares. The front face has two side ports, each consisting of a cylindrical body and a rectangular handle. The right face also has two side ports, similar in design to the front face. The block is shown from an isometric perspective, highlighting its three-dimensional structure.


Model	JD2-43S
Surface Size	40x40mm
Travel Range	±10mm
Travel Guide	Dovetail , Screw
Readable Resolution	0.1mm/Vernier
Parallelism	60um
Driving Parallelism	30um
Load Capccity	2.2kgf
Base Plate	X
Weight	0.36Kg
Material	Aluminum
Finish Treatment	Black Anodizing

东莞市诚鲲五金电子科技有限公司
Email:sales01@dck-gd.com


Model	JD3-43S
Surface Size	40x40mm
Travel Range	±10mm
Travel Guide	Dovetail , Screw
Readable Resolution	0.1mm/Vernier
Parallelism	50um
Driving Parallelism	30um
Load Capccity	1.2kgf
Base Plate	X
Weight	0.2Kg
Material	Aluminum
Finish Treatment	Black Anodizing

东莞市诚赜五金电子科技有限公司
Email:sales01@dck-gd.com

Email:sales01@dck-gd.com



Model	JD4-43S
Surface Size	40x40mm
Travel Range	±10mm
Travel Guide	Dovetail , Screw
Readable Resolution	0.1mm/Vernier
Parallelism	120um
Driving Parallelism	30um
Load Capacity	1.2kgf
Base Plate	X
Weight	0.56Kg
Material	Aluminum
Finish Treatment	Black Anodizing



JD4 - 43S

东莞市诚鲲五金电子科技有限公司
Email:sales01@dck-gd.com